


UPR Oil Catch Can Installation


S650 Mustang with Procharger 5030-304-1




1. Install the UPR Mount onto the passenger side air box bracket with the provided bolt as shown.



2. Install the UPR catch can onto the mount with the quick release knob.




3. Install the vacuum hose from the side of the catch can to the vacuum fitting on the intake manifold. The arrow printed on the check valve must face away from the catch can, towards the intake manifold.



4. Install the PCV hose from the PCV valve on the passenger side valve cover to the top of the catch can.

Optional clean side catch can:




1. Locate the stud on the rear part of the coolant degas bottle on the driver side shock tower. Install the provided lanyard, then washer, and nut. Tighten the nut with a 10mm deep socket or wrench.



2. Install the Clean Side Catch Can onto the stud and secure it with the supplied knob.

Be sure to shop our online store for the best deals: www.uprproducts.com



3. Install the short hose from the rear fitting on the catch can (connects with a 90 degree fitting) to the crankcase vent fitting on the valve cover (connects with a 45 degree fitting).



4. Install the longer hose from the front facing fitting on the catch can to the fitting on the air intake tube on the Supercharger. You'll route the hose under the supercharger to the air intake tube.



750 Eastcoast St South • Lake Worth, FL 33460
561-588-6630 • Fax: 561-585-4141
www.uprproducts.com • talktoup@uprproducts.com

Check your catch can every 500 miles for the first few oil changes to get to know your vehicles Oil consumption. Never return collected oil back into the engine.

To check the catch can, press the grey buttons on the UPR Plug N Play fittings (NEVER pry them out) and slide the fittings off of the catch can. Unscrew the UPR quick release knob from the mounting bracket. Unscrew the catch can cup and dispose of the liquid with your used waste oil.

Always check and drain the catch can more often in winter / freezing weather. If the water/oil mixture in the catch can is allowed to freeze it will cause damage to the catch can and internal components. Any damage due to freezing is NOT WARRANTY.

Product Liability Statement: The purchase of the product, manufactured by UPR Products Inc. completes an agreement between UPR Products Inc. and the customer. UPR Products Inc. assumes no liability for damages or injury incurred by the buyer of this product. The buyer has complete responsibility for the installation, use and upkeep of this product

Be sure to shop our online store for the best deals: www.uprproducts.com