

UPR15-19 Explorer / SHO Ecoboost Catch Can PLUG N PLAY ™ Oil Catch Can Installation 5030-158



1. Disconnect the negative battery cable. Use an 8mm socket to remove the ground strap bolt on the passenger shock tower. Install your UPR catch in this location and secure with the ground bolt.



 Remove the factory rubber intake tube and replace with the UPR tube. The fitting should face down. Leave the air box lid loose so it is easier to access the fitting. If you have an aftermarket cold air intake, you may need to cut the UPR tube to length.





3. The longest hose in the kit will be the Wide Open Throttle (WOT) hose. Route the hose between the intake manifold and the rear valve cover as shown. The check valve in the hose will have an arrow printed on it. The arrow must face away from the catch can, towards the intake tube connection. Connect the UPR Plug N Play fitting to the UPR air intake tube. Route the other end of the hose to the far side of the catch can.



4. Locate the factory PCV tube that runs from the rear valve cover to the intake manifold vacuum port and remove it. The hose with no check valve will connect from the PCV on the valve cover to the **top** fitting on the catch can.





5. The last hose is the vacuum hose. The **arrow** on the check valve in this hose **must face away from the catch can**, towards the intake connection. Route the hose from the intake manifold towards the rear of engine compartment, then back to the catch can. Route it so that there are no kinks in the hose.

Always check and drain the catch can more often in winter / freezing weather. If the water/oil mixture in the catch can is allowed to freeze it will cause damage to the catch can and internal components. Any damage due to freezing is NOT WARRANTY. You must dispose of the liquid collected in the catch can properly (with used waste oil) properly according to your local laws.

<u>Product Liability Statement:</u> The purchase of the product, manufactured by UPR Products Inc. completes an agreement between UPR Products Inc. and the customer. UPR Products Inc. assumes no liability for damages or injury incurred by the buyer of this product. The purchaser or user of this product is responsible for the proper disposal of any hazardous materials (oil catch can contents). The buyer has complete responsibility for the installation, use and upkeep of this product.