


UPR Oil Catch Can Installation

- 1. Locate the un-used factory tab on the passenger inner fender area. It is located near the washer reservoir. Install the UPR Fender Mount Bracket with the small mounting hole facing up to the tab using the supplied hardware.
- 2. Loosely install the UPR Catch Can onto the bracket with the supplied Allen screw. (If you chose the UPR Quick Release Knob upgrade, install the catch can with the knob at this time)
- 3. Locate the factory plastic PCV tube at the rear of the passenger side cylinder head. Remove the tube by pulling it out of the rubber boots on each end. Leave the boots in place on the engine, you will need to use them for installation of the hoses.
- 4. Install the provided UPR Billet Hose Ends and barb fittings (one 90 degree and one straight) onto one end of each hose.
- 5. The hose with the 90 degree barb fitting will be installed into the rubber boot at the back of the cylinder head at the PCV valve. The hose with the straight barb fitting will be installed into the rubber boot at the back of the intake manifold.
- 6. Route the hoses neatly along the passenger side of the engine towards the catch can. Be sure the hoses will not be in contact with an exhaust components or pulleys.
- 7. The fitting on the catch can that is closest to the front of the car will be the 'Dirty Side'. Connect this side to the hose coming from the PCV at the back of the valve cover. Connect the remaining hose from the intake manifold to the other side of the catch can.
- 8. Tighten the catch can mounts so that the catch can is parallel to the ground. Go back and check all connections and hose routing to ensure they are secure.










Be sure to shop our online store for the best deals: www.uprproducts.com







Always check and drain the catch can more often in winter / freezing weather. If the water/oil mixture in the catch can is allowed to freeze it will cause damage to the catch can and internal components. Any damage due to freezing is NOT WARRANTY. You must dispose of the liquid collected in the catch can properly (with used waste oil) properly according to your local laws.

<u>Product Liability Statement:</u> The purchase of the product, manufactured by UPR Products Inc. completes an agreement between UPR Products Inc. and the customer. UPR Products Inc. assumes no liability for damages or injury incurred by the buyer of this product. The purchaser or user of this product is responsible for the proper disposal of any hazardous materials (oil catch can contents). The buyer has complete responsibility for the installation, use and upkeep of this product.